



Dirello

ITALIAN OUTDOOR DESIGN

TENDAL



pergole | pergolas





TENDAL

Tendal è la copertura sospesa inclinata con telo scorrevole ad impacchettamento, installabile su strutture esistenti.

*Tendal is the sloped cover roof with retractable fabric, it can be installed on existing structures*

**IT****Caratteristiche Tecniche**

Prodotto brevettato  
Dimensioni fino a 1300 x 700 cm  
Versione sospesa  
Configurazioni modulo singolo, doppio e triplo  
Copertura inclinata  
Telo scorrevole ad impacchettamento  
Struttura in alluminio estruso con componenti Inox  
Profilo con guarnizione salvagoccia  
Verniciatura con polveri epossidiche resistenti ai raggi UV  
Movimentazione automatizzata con radiocomando o manuale con argano  
Impianti elettrici integrati ed ispezionabili  
Tenuta all'acqua ottimale  
Prodotto con marcatura CE UNI EN 13561  
Made in Italy

**Complementi**

Outdoor Led System profili intermedi luce calda, fredda e RGB  
Sensore pioggia  
Sensore vento  
Copertura compatibile con impianti domotici  
App gestione automazioni per Smartphone e Tablet

**Vantaggi**

Predisposizione impianto elettrico  
Automatismi preregolati  
Pre-assemblaggio testato

**EN****Technical Features**

*Patented product  
Dimensions up 1300 x 700 cm  
Roof versions  
Configurations single form, double form, triple form  
Sloped roof  
Retractable fabric  
Extruded aluminium frame with stainless steel components  
Profile with drip-proof gasket  
Epoxy powder coating resistant to UV rays  
Automated movement with remote control or manual whitt winch  
Integrated and inspectionable electrical systems  
Optimal water tightness  
Product CE marking UNI EN 13561  
Made in Italy*

**Complements**

*Intermediate profile Outdoor Led System warm white, cold white and RGB  
Rain sensor  
Wind sensor  
Roof compatible with home automation systems  
Automation App to control different function from Smartphone and Tablet*

**Plus**

*Electrical system setup  
Preset automatism  
Pre-assembly tested*



## PALETTE COLORI RAL | COLORS PALETTE RAL

					
<b>RAL 9010</b> Bianco Puro ruvido <i>fine txt. Pure White</i>	<b>RAL 1013</b> Avorio ruvido <i>fine txt. Ivory</i>	<b>RAL 7034</b> Grigio Giallo ruvido <i>fine txt. Yellow Grey</i>	<b>RAL 1019</b> Beige ruvido <i>fine txt. Beige</i>	<b>RAL 6003</b> Verde Oliva ruvido <i>fine txt. Olive Green</i>	<b>RAL 6005</b> Verde Muschio ruvido <i>fine txt. Moss Green</i>
					
<b>RAL 7006</b> Grigio Beige ruvido <i>fine txt. Grey Beige</i>	<b>RAL 7039</b> Grigio Quarzo ruvido <i>fine txt. Quarz Grey</i>	<b>F235</b> Corten puntinato <i>dotten Corten</i>	<b>RAL 8014</b> Marrone Seppia ruvido <i>fine txt. Sepia Brown</i>	<b>RAL 8019</b> Marrone Grigio ruvido <i>fine txt. Brown Grey</i>	<b>F206</b> Marrone Cuoio ruvido <i>fine txt. Leather Brown</i>
					
<b>RAL 7035</b> Grigio Luce ruvido <i>fine txt. Light Grey</i>	<b>RAL 9006</b> Alluminio Met. opaco <i>met. Aluminium</i>	<b>RAL 7001</b> Grigio Argento ruvido <i>fine txt. Silver Grey</i>	<b>RAL 7037</b> Grigio Polvere ruvido <i>fine txt. Powder Grey</i>	<b>RAL 7016</b> Grigio Antracite ruvido <i>fine txt. Anthracite Grey</i>	<b>F213</b> Grigio Ferro ruvido <i>fine txt. Iron Grey</i>

## COLORI PROFILI TELO | FABRIC PROFILES

				
<b>RAL 9010</b> Bianco Puro ruvido <i>fine txt. Pure White</i>	<b>RAL 1013</b> Avorio ruvido <i>fine txt. Ivory</i>	<b>F213</b> Grigio Ferro ruvido <i>fine txt. Iron Grey</i>	<b>RAL 7035</b> Grigio Luce ruvido <i>fine txt. Light Grey</i>	<b>F206</b> Marrone Cuoio ruvido <i>fine txt. Leather Brown</i>

## PARTI IN NYLON | NYLON PARTS




				
Bianco <i>White</i> RAL 9010	Avorio <i>Ivory</i> RAL 1013 RAL 1019	Grigio Ferro <i>Iron Grey</i> F213 RAL 7016	Grigio <i>Grey</i> RAL 7001 RAL 7035 RAL 9006 RAL 7037 RAL 7039	Marrone <i>Brown</i> RAL 8014 RAL 8019 F206

# TESSUTI | FABRICS

## VALMEX FR 700 OPAK




## PRECONTRAIKT 622 BLOCKOUT



## TEXOUT OPATEX PRO



## SOLTIS PROOF 502



## SOLTIS W96





# Dirello

ITALIAN OUTDOOR DESIGN

Dirello S.r.l.  
70026 | Modugno | Ba | Italia  
t. +39 080 532 0903  
t. +39 080 532 6287  
t. +39 080 536 7628  
f. +39 080 530 9255

[info@dirello.com](mailto:info@dirello.com)

[dirello.com](http://dirello.com)

follow us:

